

Multi-Conductor and Paired Cables

No. of Cond.	No. of Pairs	Stranded (mm/AWG*)	Solid (mm)	Drain Wire	Unshielded		Overall Spiral		Overall Braid		Overall Foil		Overall Foil/Braid		Individual Foil		Individual Braid		
					Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.
28 AWG 0.07 mm² 0.40 0.30																			
4	none	19x40							1804A	19.10									
	2	7x36		x								8132	5.14						
	2	7x36		x								9804	5.13						
6	3	7x36		x								8133	5.14						
	3	7x36		x								9805	5.13						
8	4	7x36		x								8134	5.14						
	4	7x36		x								9806	5.13						
10	5	7x36		x								8135	5.14						
	5	7x36		x								9807	5.13						
14	7	7x36		x								9808	5.13						
16	8	7x36		x								8138	5.14						
18	9	7x36		x								9809	5.13						
24	12	7x36		x								9812	5.13						
25	12+1/C	7x36		x								8142	5.14						
26	13	7x36		x								9813	5.13						
36	18	7x36		x								8148	5.14						
	18	7x36		x								9819	5.13						
50	25	7x36		x								8155	5.14						
	25	7x36		x								9825	5.13						
62	31	7x36		x								9814	5.13						
26 AWG 0.14 mm² 0.50 0.40																			
2	1	7x34		x							9180	19.16							
	1	7x0.16																BE46273*	19.18
	1	7x0.16																BE46202*	19.18
	1	18x0.1		x														BE46959*	19.17
	none	19x0.107						HMC0016	4.16										
	none	19x0.107						HMC0331	4.30										
3	1	18x0.1		x														YE00193*	19.17
	none	19x0.107						HMC0017	4.16										
	none	19x0.107						HMC0332	4.30										
4	none	30x40		x					1172A	19.10									
	2	7x34												1215A*	15.72				
	2	19x38		x														7884A	19.12
	2	7x34		x										7891A*	19.17				
	2	7x0.16																BE46203*	19.18
	2	18x0.1		x														BE46923*	19.17
	none	19x0.107						HMC0018	4.16										
	none	19x0.107						HMC0333	4.30										
5	none	19x0.107						HMC0019	4.16										
	none	19x0.107						HMC0334	4.30										
6	none	19x0.107						HMC0020	4.16										
	none	19x0.107						HMC0335	4.30										
7	none	19x0.107						HMC0021	4.16										
	none	19x0.107						HMC0336	4.30										
8	4	7x34		x							1868E	15.66							
	4	7x34		x							1868ENH	15.66							
	4	19x38		x														7885A	19.12
	4	7x34		x										7890A*	19.17				
	4	7x0.16																BE46204*	19.18
	4	18x0.1																BE46312*	19.12
	4	18x0.1		x														BE46925*	19.17

* Individually shielded pairs or triads, plus overall foil, overall braid or overall foil and braid.
 # Measures without a decimal point are in AWG sizes.

Multi-Conductor and Paired Cables

No. of Cond.	No. of Pairs	Stranded (mm/AWG#)	Solid (mm)	Drain Wire	Unshielded		Overall Spiral		Overall Braid		Overall Foil		Overall Foil/Braid		Individual Foil		Individual Braid	
					Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
26 AWG 0.14 mm² 0.50 0.40 (continued)																		
16	8	7x34		x												7880A*	19.17	
	8	19x38		x														7886A 19.12
	8	7x0.16																BE46266* 19.18
	8	18x0.1																BE46313* 19.12
	8	18x0.1		x														BE46935* 19.17
20	10	7x0.16																BE46208* 19.18
	10	18x0.1		x														BE46936* 19.17
24	12	19x38		x														7887A 19.12
	12	7x34		x										7892A*	19.17			BE46205* 19.18
	12	7x0.16																BE46315* 19.12
	12	18x0.1																BE46937* 19.17
32	16	19x38		x														7888A 19.12
	16	7x34		x										7893A*	19.17			BE46207* 19.18
	16	7x0.16																BE46305* 19.12
	16	18x0.1																BE46938* 19.17
48	24	19x38		x														7889A 19.12
	24	18x0.1																BE46306* 19.12
80	40	18x0.1																BE46948* 19.12
25 AWG 0.16 mm² 0.50 0.45																		
1	none	7x33							8410	19.21								
24 AWG 0.22 mm² 0.60 0.50																		
1	none	8x0.193							HMC0486	4.37								
2	1	7x32		x							1508A	19.14						
	1	7x32		x							1508ENH	19.14						
	1	7x32		x							1800B	19.16						
	1	41x40		x					1800F	19.16								
	1	7x32		x							1883A	19.11						
	1	41x40		x									7200A	18.37				
	1	41x40		x									7205A	18.37				
	1	41x40		x									7206A	18.37				
	none	105x44				9397	19.9											
	1	19x36		x							9452	19.11						
	1	7x32		x							9501	5.7						
	1	7x32		x									9841	18.32				
	1	7x32		x									9841LS	18.32				
	1	7x32		x									9841NH	18.32				
	none	32x0.1				BE46349	19.9											
	1	7x32		x								82641	5.8					
	none	19x0.127								HMC0022	4.16							
none	19x0.127								HMC0337	4.30								
none	7x0.20								HMC0355	4.31								
none	7x0.20								HMC0379	4.32								
none	8x0.193								HMC0487	4.37								
3	none	105x44				9398	19.9											
	none	7x32		x							9533	4.6						
	none	7x32											9608	4.9				
	none	7x32		x									9925	4.11				
	none	7x32											83503	4.12				
	none	19x0.127							HMC0023	4.16								
	none	19x0.127							HMC0338	4.30								
	none	7x0.20							HMC0356	4.31								
	none	7x0.20							HMC0380	4.32								
	none	8x0.193							HMC0488	4.37								

* Individually shielded pairs or triads, plus overall foil, overall braid or overall foil and braid.
 # Measures without a decimal point are in AWG sizes.

Multi-Conductor and Paired Cables

No. of Cond.	No. of Pairs	Stranded (mm/AWG*)	Solid (mm)	Drain Wire	Unshielded		Overall Spiral		Overall Braid		Overall Foil		Overall Foil/Braid		Individual Foil		Individual Braid	
					Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
24 AWG 0.22 mm² 0.60 0.50 (continued)																		
4	none	41x40							1192A	19.10								
	2		solid		1227A1	15.58												
	2		solid		1243A2	15.58												
	2	7x32		x							1419A	5.9						
	2	7x32		x												1509C*	19.14	
	2	7x32		x											1509ENH*	19.14		
	2	7x32		x											1802B	19.16		
	2	41x40		x													1902A	19.13
	2	41x40		x									7201A	18.37				
	2		solid	x							7933A	18.8						
	2	7x32		x									8102	5.17				
	2	7x32		x											8162*	5.25		
	2	7x32		x									8332	5.15				
	2	7x32		x							9502†	5.7						
	none	7x32		x							9534	4.6						
	none	7x32											9609	4.9				
	2	7x32		x												9729	5.20	
	2	7x32		x													18.33	
	2	7x32		x												9729LS**	18.33	
	2	7x32		x												9729NH	18.33	
	2	7x32		x									9829	5.16				
	2	7x32		x									9842	18.32				
	2	7x32		x									9842LS**	18.32				
	2	7x32		x									9842NH	18.32				
	none	7x32		x									9927	4.11				
	2	7x32		x							82502	5.8						
	none	7x32											83504	4.12				
	none	19x0.127								HMC0024	4.16							
	none	19x0.127								HMC0339	4.30							
	none	7x0.20								HMC0357	4.31							
	none	7x0.20								HMC0381	4.32							
	none	8x0.193								HMC0489	4.37							
2	8x0.193								HMC0630	5.26								
5	none	7x32		x							9535	4.6						
	none	7x32											9610	4.9				
	none	7x32		x									9929	4.11				
	none	19x0.127																
	none	19x0.127																
	none	8x0.193																
6	3	7x32		x							1420A	5.9						
	3	7x32											3120A	18.27				
	3	41x40		x									7202A	18.37				
	3	7x32		x									8103	5.17				
	3	7x32		x											8163*	5.25		
	3	7x32											8333	5.15				
	3	7x32		x							9503	5.7						
	none	7x32		x							9536	4.6						
	none	7x32											9611	4.9				
	3	7x32		x							9680	5.9						
	3	7x32		x											9730	5.20		
	3	7x32		x									9830	5.16				
	3	7x32		x									9843	18.32				
	3	7x32		x									9843NH	18.32				
	none	7x32		x									9931	4.11				
	3	7x32		x							82503	5.8						
	none	7x32											83506	4.12				
	none	19x0.127								HMC0026	4.16							
	none	19x0.127								HMC0341	4.30							
	none	8x0.193								HMC0491	4.37							
3	8x0.193								HMC0631	5.26								

* Individually shielded pairs or triads, plus overall foil, overall braid or overall foil and braid. • ** Armored • # Measures without a decimal point are in AWG sizes.
 † Pennsylvania Department of Environmental Resources and United States Mine Safety and Health Administration certification. Request quotations of RG/U cables not listed.

Multi-Conductor and Paired Cables

No. of Cond.	No. of Pairs	Stranded (mm/AWG#)	Solid (mm)	Drain Wire	Unshielded		Overall Spiral		Overall Braid		Overall Foil		Overall Foil/Braid		Individual Foil		Individual Braid			
					Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
24 AWG 0.22 mm² 0.60 0.50 (continued)																				
7	none	7x32		x							9537	4.6								
	none	7x32											9612	4.9						
	none	7x32		x									9932	4.11						
	none	19x0.127							HMC0027	4.16										
	none	19x0.127							HMC0342	4.30										
	none	8x0.193							HMC0492	4.37										
8	4		solid		1229A1	15.58														
	4		solid		1245A2	15.58														
	4		solid	x						1300SB	7.5									
	4	7x32			1304A	19.22														
	4	7x32			1305A	19.22														
	4	7x32		x							1421A	5.9								
	4	7x32		x												1510C*	19.14			
	4		solid		1583A	15.52														
	4		solid		1583E	15.52														
	4		solid		1583ENH	15.52														
	4		solid		1585A	15.53														
	4	7x32			1592A	15.65														
	4		solid		1594A	15.52														
	4		solid	x							1633E	15.62								
	4		solid	x							1633ENH	15.62								
	4		solid	x									1633ES	15.63						
	4		solid	x									1633ENS	15.63						
	4		solid		1700A	15.49														
	4		solid		1700E	15.49														
	4		solid		1700ENH	15.49														
	4	7x32			1752A	15.65														
	4	7x32		x													1803F*	19.18		
	4	7x32			1875GB	15.64														
	4	41x40		x															1904A	19.13
	4	41x40		x																
	4		solid		7883A	15.64								7203A	18.37					
	4		solid		7918A	18.8														
	4		solid	x							7919A	18.8								
	4		solid	x										7921A	18.7					
	4		solid		7923A	18.9														
	4	7x32			7924A	18.10														
	4		solid		7928A	18.8														
	4		solid	x							7929A	18.7								
	4		solid		7987R	21.9														
	4		solid		7988P	15.68														
	4		solid		7988R	15.68 21.9														
	4		solid		7997A	15.52														
	4	7x32		x										8104	5.17					
	4	7x32		x												8164*	5.25			
	4	7x32												8334	5.15					
4	7x32		x							9504	5.7									
none	7x32		x							9538	4.6									
none	7x32												9613	4.9						
4	7x32		x							9681	5.9									
4	7x32		x												9728	5.20				
4	7x32		x										9831	5.16						
4	7x32		x										9844	18.32						
none	7x32		x										9933	4.11						
4		solid		11700A	18.9															
4	7x32		x							82504	5.8									
4		solid		121700A**	18.9															
4		solid		24566315	15.47															
4		solid		24566345	15.47															
4		solid		24566915	15.47															

* Individually shielded pairs or triads, plus overall foil, overall braid or overall foil and braid. • ** Armored
Measures without a decimal point are in AWG sizes.

Multi-Conductor and Paired Cables

No. of Cond.	No. of Pairs	Stranded (mm/AWG*)	Solid (mm)	Drain Wire	Unshielded		Overall Spiral		Overall Braid		Overall Foil		Overall Foil/Braid		Individual Foil		Individual Braid	
					Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
24 AWG 0.22 mm² 0.60 0.50 (continued)																		
8	4		solid		24566945	15.47												
	4		solid		24567315	15.47												
	4		solid		24567345	15.47												
	4		solid		24567915	15.47												
	4		solid		24567945	15.47												
	4		solid		24568005	15.47												
	4		solid		24568015	15.47												
	4		solid		24568315	15.47												
	4		solid		24568331	15.47												
	4		solid		24570157	15.50												
	4		solid		24570161	15.50												
	4		solid		24570166	15.50												
	4		solid		24570452	15.50												
	4		solid		24570460	15.50												
	4		solid		24570800	15.50												
	4		solid		24570808	15.50												
	4		solid		24570810	15.50												
	4		solid		24570812	15.50												
	4		solid		24598301	15.50												
	4		solid		24598331	15.50												
4		solid		BEB1212	18.7													
	4		solid	x								BEB3212	18.7					
	none	8x0.193						HMC0493	4.37									
	4	8x0.193						HMC0632	5.26									
9	none	7x32		x						9539	4.6							
	none	7x32										9614	4.9					
	none	7x32		x								9934	4.11					
10	5	7x32		x						1422A	5.9							
	5	7x32		x								8105	5.17					
	5	7x32		x										8165*	5.25			
	5	7x32										8335	5.15					
	5	7x32		x						9505	5.7							
	none	7x32		x						9540	4.6							
	none	7x32										9615	4.9					
	5	7x32		x								9832	5.16					
	none	7x32		x								9935	4.11					
	5	7x32		x							82505	5.8						
5	8x0.193								HMC0633	5.26								
12	6	7x32		x						1423A	5.9							
	6	7x32		x										1511C*	19.14			
	6	41x40		x											1906A	19.13		
	6	7x32		x								8106	5.17					
	6	7x32		x										8166*	5.25			
	6	7x32										8336	5.15					
	6	7x32		x						9506	5.7							
	6	7x32		x						9682	5.9							
	6	7x32		x										9731	5.20			
	6	7x32		x							82506	5.8						
6	8x0.193								HMC0634	5.26								
14	7	7x32		x								8107	5.17					
	7	7x32		x										8167*	5.25			
	7	7x32										8337	5.15					
	7	7x32		x						9507	5.7							
15	none	7x32		x						9541	4.7							
	none	7x32										9616	4.9					
	none	7x32		x								9936	4.11					
16	8	7x32		x										1512C*	19.14			
	8	7x32		x										1512ENH*	19.14			
	8		solid		1667E	15.53												
	8	8x0.193									HMC0635	5.26						

* Individually shielded pairs or triads, plus overall foil, overall braid or overall foil and braid.
 # Measures without a decimal point are in AWG sizes.

Multi-Conductor and Paired Cables

No. of Cond.	No. of Pairs	Stranded (mm/AWG#)	Solid (mm)	Drain Wire	Unshielded		Overall Spiral		Overall Braid		Overall Foil		Overall Foil/Braid		Individual Foil		Individual Braid		
					Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.
24 AWG 0.22 mm² 0.60 0.50 (continued)																			
16	8		solid		1667ENH	15.53													
	8		solid	x						1668E	15.62								
	8		solid	x						1668ENH	15.62								
	8		solid	x								1668ES	15.63						
	8		solid	x								1668ENS	15.63						
	8	7x32		x											1805F*	19.18			
	8	7x32		x													1908A	19.13	
	8	7x32		x								8108	5.17						
	8	7x32		x											8168*	5.25			
18	9	7x32		x							9508	5.7							
	9	7x32		x							9509	5.7							
	9	7x32		x							9683	5.9							
	9	7x32		x							82509	5.8				9732	5.20		
20	10	7x32		x									8110	5.17					
	10	7x32		x												8170*	5.25		
	10	7x32		x									8340	5.15					
	10	7x32		x							9510	5.7							
	10	8x0.193								HMC0636	5.26								
22	11	7x32		x												9733	5.20		
	24	12	7x32		x												1513C*	19.14	
		12	7x32		x												1806F*	19.18	
		12	41x40		x													1912A	19.13
		12	7x32		x												9734	5.20	
12	8x0.193								HMC0637	5.26									
25	12+1/C	7x32		x							1424A	5.9							
	12+1/C	7x32		x									8112	5.17					
	12+1/C	7x32		x									8342	5.15					
	none	7x32		x							9543	4.7							
	none	7x32		x										9617	4.9				
	12+1/C	7x32		x							9684	5.9							
30	15	7x32		x															
	15	7x32		x															
	15	7x32		x													8175*	5.25	
	15	7x32		x															
	15	7x32		x							9515	5.7							
	15	7x32		x							9544	4.7							
32	16	7x32		x													9735	5.20	
	16	7x32		x													1514C*	19.14	
	16	41x40		x													1850F*	19.18	
34	17	7x32		x													1916A	19.13	
	17	7x32		x													9736	5.20	
36	18	7x32		x									8118	5.17					
	18	7x32		x													8178*	5.25	
	18	7x32		x									8348	5.15					
37	none	7x32																	
	none	7x32		x													9618	4.9	
38	19	7x32		x															
	19	7x32		x							9519	5.7						9737	5.20
40	20	7x32		x														1515C*	19.14
	none	7x32		x							9545	4.7							
48	24	7x32		x														1516C*	19.14
	24	7x32		x														1852F*	19.18
	24		solid		1700S6	15.55 21.5													

* Individually shielded pairs or triads, plus overall foil, overall braid or overall foil and braid.
Measures without a decimal point are in AWG sizes.

Multi-Conductor and Paired Cables

No. of Cond.	No. of Pairs	Stranded (mm/AWG*)	Solid (mm)	Drain Wire	Unshielded		Overall Spiral		Overall Braid		Overall Foil		Overall Foil/Braid		Individual Foil		Individual Braid	
					Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
24 AWG 0.22 mm² 0.60 0.50 (continued)																		
48	24		solid		1701S6	15.55												
	24	41x40		x													1924A	19.13
50	25		solid		1232A1	15.58												
	25		solid		1864A	15.57												
	25		solid		1871A	15.57												
	25	7x32		x							8125	5.17						
	25	7x32		x									8185*	5.25				
	25	7x32											8355	5.15				
	25	7x32		x						9525	5.8							
	none	7x32		x						9546	4.7							
	none	7x32											9619	4.9				
	25		solid			24576125	15.54											
	25		solid			24577125	15.54											
	25		solid			25500027	15.56											
25		solid			25500028	15.56												
25		solid			NN00097	15.59												
52	26	7x32		x											1517C*	19.14		
54	27	7x32		x											9738	5.20		
64	32	7x32		x											1518C*	19.14		
	32	7x32		x											1854F*	19.18		
	32	41x40		x												1932A	19.13	
100	50	7x32		x						9550	5.8							
	50		solid		NN00099	15.59												
104	52	7x32		x											1519C*	19.14		
200	100		solid	x	NN00101	15.59												
23 AWG 0.26 mm² 0.65 0.57																		
8	4		solid		1872A	15.48												
	4		solid		1874A	15.48												
	4		solid													1885ENH*	15.60	
	4		solid		7812E	15.46												
	4		solid		7812ENH	15.46												
	4		solid		7851A	15.44												
	4		solid		7851NH	15.44												
	4		solid		7852A	15.44												
	4		solid	x							7860ENH	15.61						
	4		solid	x									7860ENS	15.61				
	4		solid			7927A	18.11											
	4		solid			7931A	18.10											
	4		solid			7965E	15.51											
	4		solid			7965ENH	15.51											
	4		solid			7989P	15.67											
	4		solid			7989R	15.67											
							21.9											
	4		solid			11872A	18.11											
	4		solid			121872A**	18.11											
	4		solid			24586385	15.45											
4		solid			24586985	15.45												
4		solid			24587385	15.45												
4		solid			24587985	15.45												
4		solid			24588085	15.45												
16	8		solid												1887ENH*	15.60		
22 AWG 0.34 mm² 0.80 0.64																		
1	none	11x0.193							HMC0494	4.37								
2	1	7x30		x									1696A	19.16				
	1	7x30		x						3077ELS**	18.20							
	1	7x30		x						3077ENH	18.20							

* Individually shielded pairs or triads, plus overall foil, overall braid or overall foil and braid. • ** Armored
Measures without a decimal point are in AWG sizes.

Multi-Conductor and Paired Cables

No. of Cond.	No. of Pairs	Stranded (mm/AWG#)	Solid (mm)	Drain Wire	Unshielded		Overall Spiral		Overall Braid		Overall Foil		Overall Foil/Braid		Individual Foil		Individual Braid		
					Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.
22 AWG 0.34 mm² 0.80 0.64 (continued)																			
2	1	7x30		x							3077F	18.20							
	1	7x30		x							3078F	18.21							
	1		solid										3079A	18.21					
	1		solid										3079ALS**	18.21					
	1		solid										3079ANH	18.21					
	1	7x30											3079E	18.21					
	1	7x30			x								3105A	18.28					
	1		solid			7701NH	18.30												
	1		solid		x							7703NH	18.30						
	none	7x30				8442	4.4												
	1	7x30			x							8451	19.11						
	1		solid		x							8761	5.10						
	1	19x34			x							9182	18.16						
	1	19x34			x							9182NH	18.16						
	1	7x30			x							9451	19.11						
	1	7x30			x							9451SB	7.3						
	none	7x30												83552	4.12				
	1	19x34			x							89182	18.16						
	none	19x0.160									HMC0028	4.16							
	none	19x0.160									HMC0343	4.30							
none	7x0.25									HMC0358	4.31								
none	7x0.25									HMC0382	4.32								
none	11x01.93												HMC0444	4.35					
none	11x01.93									HMC0495	4.37								
3	1+1/C	7x30		x									3106A	18.28					
	none	7x30			8443	4.4													
	none	7x30											9939	4.10					
	none	7x30											83553	4.12					
	none	19x0.160									HMC0029	4.16							
	none	19x0.160									HMC0344	4.30							
	none	7x0.25									HMC0359	4.31							
	none	7x0.25									HMC0383	4.32							
	none	11x01.93												HMC0445	4.35				
	none	11x01.93									HMC0496	4.37							
4	2	19x34		x											1504A	21.10			
	2		solid												1634A*	15.71			
	2	7x30		x											1814R*	19.15			
	2	7x30		x									3107A	18.28					
	2		solid			7702NH	18.30												
	2		solid		x							7704NH	18.30						
	2	7x30												8302	5.18				
	none	7x30			8444	4.4													
	2	7x30		x											8723	5.22	18.34		
	2	7x30		x											8723LS**	18.34			
	2	7x30		x											8723NH	18.34			
	2	7x30		x											8723SB	7.3			
	2	7x30		x											8728	19.11			
	none	7x30											9940	4.10					
	2		solid												9688*	15.71			
	none	7x30											83554	4.12					
	2	7x30		x											88723	18.34			
	2	7x0.25			x							BE43906	19.21						
	none	19x0.160										HMC0030	4.16						
	none	19x0.160										HMC0345	4.30						
none	7x0.25										HMC0360	4.31							
none	7x0.25										HMC0384	4.32							
none	11x0.193												HMC0446	4.35					
none	11x01.93										HMC0497	4.37							

* Individually shielded pairs or triads, plus overall foil, overall braid or overall foil and braid. • ** Armored
Measures without a decimal point are in AWG sizes.

Multi-Conductor and Paired Cables

No. of Cond.	No. of Pairs	Stranded (mm/AWG*)	Solid (mm)	Drain Wire	Unshielded		Overall Spiral		Overall Braid		Overall Foil		Overall Foil/Braid		Individual Foil		Individual Braid	
					Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
22 AWG 0.34 mm² 0.80 0.64 (continued)																		
5	none	7x30			8445	4.4												
	none	7x30											9941	4.10				
	none	19x0.160							HMC0031	4.16								
	none	19x0.160							HMC0346	4.30								
	none	11x01.93											HMC0447	4.35				
	none	11x01.93								HMC0498	4.37							
6	3	7x30		x									3108A	18.28				
	3	7x30											8303	5.18				
	3	7x30		x											8777	5.22	18.33	
	3	7x30		x											8777LS**	18.34		
	3	7x30		x											8777NH	18.33		
	3	7x30		x											8777SB	7.3		
	none	7x30											9942	4.10				
	3	7x30		x											82777	5.22		
	none	7x30											83556	4.12				
	none	19x0.160								HMC0032	4.16							
	none	19x0.160								HMC0347	4.30							
	none	11x01.93											HMC0448	4.35				
none	11x01.93								HMC0499	4.37								
7	none	7x30			9430	4.4												
	none	7x30											9943	4.10				
	none	19x0.160							HMC0033	4.16								
	none	19x0.160							HMC0348	4.30								
	none	11x01.93											HMC0449	4.35				
	none	11x01.93								HMC0500	4.37							
8	4	7x30		x											1815R*	19.15		
	4	7x30		x									3109A	18.28				
	4		solid		7922A	18.10							8304	5.18				
	4	7x30											9944	4.10				
	none	7x30			9421	4.4												
	none	7x30																
none	11x01.93								HMC0501	4.37								
9	none	7x30			9423	4.4												
	none	7x30											9945	4.10				
	none	7x30											83559	4.12				
10	5	7x30											8305	5.18				
	none	7x30			8456	4.4												
	none	7x30											9946	4.10				
12	6	7x30		x											1816R*	19.15		
	6	7x30											8306	5.18				
	6	7x30		x											8778	5.22		
	none	7x30											83562	4.12				
14	7	7x30										8307	5.18					
15	none	7x30										9947	4.10					
16	8	7x30		x											1817R*	19.15		
	8	7x30											8308	5.18				
18	9	7x30		x											8774	5.22		
19	none	7x30											83569	4.12				
20	10	7x30											8310	5.18				
24	12	7x30		x											1818R*	19.15		
25	12+1/C	7x30		x									8312	5.18				
	none	7x30											9948	4.10				
30	15	7x30		x									8315	5.18				

* Individually shielded pairs or triads, plus overall foil, overall braid or overall foil and braid. • ** Armored

Measures without a decimal point are in AWG sizes.

Multi-Conductor and Paired Cables

No. of Cond.	No. of Pairs	Stranded (mm/AWG#)	Solid (mm)	Drain Wire	Unshielded		Overall Spiral		Overall Braid		Overall Foil		Overall Foil/Braid		Individual Foil		Individual Braid	
					Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
22 AWG 0.34 mm² 0.80 0.64 (continued)																		
32	16	7x30		x												1819R*	19.15	
36	18	7x30										8318	5.18					
37	none	7x30										9949	4.10					
40	20	7x30		x												1820R*	19.15	
48	24	7x30		x												1821R*	19.15	
50	25	7x30										8325	5.18					
	none	7x30										9950	4.10					
52	26	7x30		x												1822R*	19.15	
64	32	7x30		x												1823R*	19.15	
20 AWG 0.50 mm² 0.90 0.81																		
1	none	16x0.193							HMC0502	4.37								
2	1	7x28			8205	5.4												
	none	26x34							8412	19.9								
	1	7x28		x							8762	5.10						
	1	7x28		x							9154	5.10						
	1	7x28											9207	18.15				
	1	7x28											9207NH	18.15				
	1	7x28		x									9463	18.13				
	1	7x28		x									9463DB	18.13				
	1	42x36											9463F	18.13				
	1	7x28		x									9463LS**	18.13				
	1	7x28		x									9463NH	18.13				
	1	7x28		x							9464	5.10						
	1	7x28		x									89463	18.14				
	1	7x28		x									129463**	18.14				
	1	7x28		x									139463**	18.14				
	1	7x28		x									189463**	18.14				
	none	19x0.203								HMC0034	4.16							
none	19x0.203								HMC0349	4.30								
none	16x0.20								HMC0361	4.31								
none	16x0.20								HMC0385	4.32								
none	16x0.193													HMC0451	4.35			
none	16x0.193								HMC0503	4.37								
3	none	7x28		x							8772	4.8						
	none	19x0.203							HMC0035	4.16								
	none	19x0.203							HMC0350	4.30								
	none	7x28		x									1348A	18.29				
	none	16x0.20							HMC0362	4.31								
	none	16x0.20							HMC0386	4.32								
	none	16x0.193													HMC0452	4.35		
	none	16x0.193							HMC0504	4.37								
4	none	26x34							8424	19.10								
	2	7x28		x												9402	5.23	
	none	19x0.203							HMC0036	4.16								
	none	19x0.203							HMC0351	4.30								
	none	16x0.20							HMC0363	4.31								
	none	16x0.20							HMC0387	4.32								
	none	16x0.193													HMC0453	4.35		
	none	16x0.193							HMC0505	4.37								
5	2		solid	x							YE00820	21.8						
	2		solid	x							YE00906	21.8						
	2	16x0.193							HMC0638	5.26								
	none	19x0.203							HMC0037	4.16								
none	19x0.203							HMC0352	4.30									
none	16x0.193													HMC0454	4.35			
none	16x0.193							HMC0506	4.37									

* Individually shielded pairs or triads, plus overall foil, overall braid or overall foil and braid. • ** Armored
Measures without a decimal point are in AWG sizes.

Multi-Conductor and Paired Cables

No. of Cond.	No. of Pairs	Stranded (mm/AWG#)	Solid (mm)	Drain Wire	Unshielded		Overall Spiral		Overall Braid		Overall Foil		Overall Foil/Braid		Individual Foil		Individual Braid	
					Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
20 AWG 0.50 mm² 0.90 0.81 (continued)																		
6	3	7x28			9750	5.4												
	3	7x28		x											9873	5.23		
	none	19x0.203							HMC0038	4.16								
	none	19x0.203							HMC0353	4.30								
	none	16x0.193										HMC0455	4.35					
	none	16x0.193							HMC0507	4.37								
7	3	16x0.193							HMC0639	5.26								
	none	19x0.203							HMC0039	4.16								
	none	19x0.203							HMC0354	4.30								
	none	16x0.193										HMC0456	4.35					
8	none	16x0.193							HMC0508	4.37								
	4	7x28		x											9901*	15.70		
	4	7x28		x											89901*	15.70		
	none	16x0.193										HMC0457	4.35					
10	none	16x0.193																
	none	16x0.193							HMC0509	4.37								
12	none	16x0.193																
	6	7x28			9751	5.4												
	6	7x28		x														
18	none	16x0.193																
	9	7x28			9752	5.4												
30	9	7x28		x														
	15	7x28			9755	5.4												
18 AWG 0.75 mm² 1.20 1.02																		
2	1	7x26		x							3076ELS**	18.20						
	1	7x26		x							3076ENH	18.20						
	1	7x26		x							3076F	18.20						
	1	7x26		x									3072F	18.17				
	1	7x26		x									3073F	18.17				
	1	7x26		x									3074F	18.17				
	1	7x26			8461	5.4												
	1	16x30		x							8760	18.35						
	1	16x30		x							8760LS**	18.35						
	1	16x30		x							8760NH	18.35						
	none		solid		9571	4.13												
	none		solid	x							9574	4.13						
	1	16x30			9740	5.4												
	1	19x30			82740	5.5												
	1	19x30		x							82760	5.10						
	none	24x0.20			HMC0001	4.15												
	none	24x0.20			HMC0040	4.17												
	none	24x0.20			HMC0100	4.20												
	none	24x0.20									HMC0120	4.21						
	none	24x0.20								HMC0190	4.24							
	none	24x0.20			HMC0215	4.25												
	none	24x0.20								HMC0263	4.27							
	none	24x0.20			HMC0311	4.29												
	none	24x0.20								HMC0364	4.31							
	none	24x0.20								HMC0388	4.32							
	none	22x0.193											HMC0461	4.35				
	none	22x0.193								HMC0511	4.37							
	none	24x0.20			SHO 0001**	7.8												
	none	24x0.20			SHO 0028**	7.9												
	1	7x0.36								SHO 0055	7.10							
	none	7x0.36								SHO 0088	7.13							
	3	none	16x30		x							8770	4.8					
none		24x0.20			HMC0002	4.15												
none		24x0.20			HMC0041	4.17												
none		24x0.20			HMC0101	4.20												

* Individually shielded pairs or triads, plus overall foil, overall braid or overall foil and braid. • ** Armored
Measures without a decimal point are in AWG sizes.

Multi-Conductor and Paired Cables

No. of Cond.	No. of Pairs	Stranded (mm/AWG#)	Solid (mm)	Drain Wire	Unshielded		Overall Spiral		Overall Braid		Overall Foil		Overall Foil/Braid		Individual Foil		Individual Braid	
					Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
18 AWG 0.75 mm² 1.20 1.02 (continued)																		
3	none	16x30		x							8770	4.8						
	none	24x0.20			HMC0002	4.15												
	none	24x0.20			HMC0041	4.17												
	none	24x0.20			HMC0101	4.20												
	none	24x0.20									HMC0121	4.21						
	none	24x0.20							HMC0191	4.24								
	none	24x0.20			HMC0216	4.25												
	none	24x0.20							HMC0264	4.27								
	none	24x0.20			HMC0312	4.29												
	none	24x0.20							HMC0365	4.31								
	none	24x0.20							HMC0389	4.32								
	none	22x0.193										HMC0462	4.35					
	none	24x0.20			SHO0002**	7.8												
	none	24x0.20			SHO0029**	7.9												
none	7x0.36							SHO0089	7.13									
4	2	16x30			9156	5.4												
	none	19x30									9418	4.8						
	none	19x30	solid	x							9578	4.13						
	none	19x30			82489	4.4												
	none	24x0.20			HMC0003	4.15												
	none	24x0.20			HMC0042	4.17												
	none	24x0.20			HMC0102	4.20												
	none	24x0.20									HMC0122	4.21						
	none	24x0.20							HMC0192	4.24								
	none	24x0.20			HMC0217	4.25												
	none	24x0.20							HMC0265	4.27								
	none	24x0.20			HMC0313	4.29												
	none	24x0.20							HMC0366	4.31								
	none	24x0.20							HMC0390	4.32								
none	22x0.193										HMC0463	4.35						
none	22x0.193							HMC0513	4.37									
2	7x0.36							SHO0056	7.10									
5	none	24x0.20			HMC0004	4.15												
	none	24x0.20			HMC0043	4.17												
	none	24x0.20			HMC0103	4.20												
	none	24x0.20									HMC0123	4.21						
	none	24x0.20							HMC0193	4.24								
	none	24x0.20			HMC0218	4.25												
	none	24x0.20							HMC0266	4.27								
	none	24x0.20			HMC0314	4.29												
	none	22x0.193										HMC0464	4.35					
	none	24x0.20			SHO0003**	7.8												
	none	24x0.20			SHO0030**	7.9												
none	7x0.36							SHO0090	7.13									
6	3	16x30			8690	5.5												
	3	19x30		x										9773	5.23			
	none	24x0.20			HMC0056	4.18												
	none	24x0.20									HMC0124	4.21						
	none	24x0.20			HMC0219	4.25												
	none	24x0.20							HMC0267	4.27								
	none	22x0.193										HMC0465	4.35					
3	22x0.193							HMC0640	5.26									
7	3	24x0.20			HMC0005	4.15												
	3	24x0.20			HMC0057	4.18												
	none	24x0.20									HMC0125	4.21						
	none	24x0.20							HMC0194	4.24								
	none	24x0.20			HMC0220	4.25												
	none	24x0.20							HMC0268	4.27								

** Armored
Measures without a decimal point are in AWG sizes.

Multi-Conductor and Paired Cables

No. of Cond.	No. of Pairs	Stranded (mm/ AWG#)	Solid (mm)	Drain Wire	Unshielded		Overall Spiral		Overall Braid		Overall Foil		Overall Foil/Braid		Individual Foil		Individual Braid	
					Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
18 AWG 0.75 mm² 1.20 1.02 (continued)																		
7	none	22x0.193											HMC0466	4.35				
	none	7x0.36																
8	4	16x30				9157	5.5											
	none	24x0.20				HMC0058	4.18											
	none	22x0.193											HMC0467	4.35				
	4	7x0.36																
10	5	16x30				9159	5.5											
	none	24x0.20				HMC0059	4.18											
	none	22x0.193											HMC0468	4.35				
	none	7x0.36																
12	6	19x30		x												9774	5.23	
	none	24x0.20				HMC0060	4.18											
	none	22x0.193											HMC0469	4.35				
	none	7x0.36																
14	none	24x0.20				HMC0061	4.18											
	7	7x0.36																
	none	7x0.36																
16	none	24x0.20				HMC0062	4.18											
	none	7x0.36																
18	9	19x30		x												9775	5.23	
	none	24x0.20				HMC0063	4.18											
19	none	7x0.36																
20	none	24x0.20				HMC0064	4.18											
	10	7x0.36																
24	none	24x0.20				HMC0065	4.18											
	none	7x0.36																
25	none	24x0.20				HMC0066	4.18											
28	14	7x0.36																
38	19	7x0.36																
48	24	7x0.36																
17 AWG 1.00 mm² 1.40 1.15																		
2	none	32x0.20				HMC0006	4.15											
	none	32x0.20				HMC0044	4.17											
	none	32x0.20				HMC0104	4.20											
	none	32x0.20											HMC0126	4.21				
	none	32x0.20																
	none	32x0.20				HMC0221	4.25											
	none	32x0.20																
	none	32x0.20				HMC0316	4.29											
	none	32x0.20																
	none	32x0.20																
	none	32x0.20																
	none	32x0.20																
	none	20x0.243																
	none	20x0.243																
	none	20x0.243				HMC0524	4.38											
	none	32x0.20				SHO 0004**	7.8											
none	32x0.20				SHO 0031**	7.9												
3	none	32x0.20				HMC0007	4.15											
	none	32x0.20				HMC0045	4.17											
	none	32x0.20				HMC0105	4.20											
	none	32x0.20																
	none	32x0.20																
	none	32x0.20																
	none	32x0.20				HMC0222	4.25											

** Armored
Measures without a decimal point are in AWG sizes.

Multi-Conductor and Paired Cables

No. of Cond.	No. of Pairs	Stranded (mm/AWG#)	Solid (mm)	Drain Wire	Unshielded		Overall Spiral		Overall Braid		Overall Foil		Overall Foil/Braid		Individual Foil		Individual Braid	
					Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
17 AWG 1.00 mm² 1.40 1.15 (continued)																		
3	none	32x0.20			HMC0317	4.29												
	none	32x0.20							HMC0368	4.31								
	none	32x0.20							HMC0392	4.32								
	none	32x0.20							HMC0404	4.33								
	none	32x0.20							HMC0424	4.34								
	none	20x0.243											HMC0472	4.35				
	none	20x0.243							HMC0515	4.37								
	none	20x0.243				HMC0525	4.38											
	none	32x0.20				SHO0005**	7.8											
none	32x0.20				SHO0032**	7.9												
4	none	32x0.20			HMC0008	4.15												
	none	32x0.20			HMC0046	4.17												
	none	32x0.20			HMC0106	4.20												
	none	32x0.20									HMC0128	4.21						
	none	32x0.20							HMC0197	4.24								
	none	32x0.20			HMC0223	4.25												
	none	32x0.20							HMC0271	4.27								
	none	32x0.20			HMC0318	4.29												
	none	32x0.20							HMC0369	4.31								
	none	32x0.20							HMC0393	4.32								
	none	32x0.20							HMC0405	4.33								
	none	32x0.20							HMC0425	4.34								
	none	20x0.243											HMC0473	4.35				
	none	20x0.243							HMC0516	4.37								
none	20x0.243				HMC0526	4.38												
none	32x0.20				SHO0006**	7.8												
none	32x0.20				SHO0033**	7.9												
5	none	32x0.20			HMC0009	4.15												
	none	32x0.20			HMC0047	4.17												
	none	32x0.20			HMC0107	4.20												
	none	32x0.20									HMC0129	4.21						
	none	32x0.20							HMC0198	4.24								
	none	32x0.20			HMC0224	4.25												
	none	32x0.20							HMC0272	4.27								
	none	32x0.20			HMC0319	4.29												
	none	32x0.20							HMC0406	4.33								
	none	32x0.20							HMC0426	4.34								
none	20x0.243											HMC0474	4.35					
none	20x0.243							HMC0517	4.37									
6	none	32x0.20			HMC0067	4.18												
	none	32x0.20									HMC0130	4.21						
	none	32x0.20			HMC0225	4.25												
	none	32x0.20							HMC0273	4.27								
none	20x0.243											HMC0475	4.35					
7	none	32x0.20			HMC0010	4.15												
	none	32x0.20			HMC0068	4.18												
	none	32x0.20									HMC0131	4.21						
	none	32x0.20							HMC0199	4.24								
	none	32x0.20			HMC0226	4.25												
	none	32x0.20							HMC0274	4.27								
	none	32x0.20			HMC0320	4.29												
none	20x0.243											HMC0476	4.35					
8	none	32x0.20			HMC0069	4.18												
	none	20x0.243											HMC0477	4.35				
10	none	32x0.20			HMC0070	4.18												
12	none	32x0.20			HMC0071	4.18												
14	none	32x0.20			HMC0072	4.18												
16	none	32x0.20			HMC0073	4.18												

** Armored
Measures without a decimal point are in AWG sizes.

Multi-Conductor and Paired Cables

No. of Cond.	No. of Pairs	Stranded (mm/AWG#)	Solid (mm)	Drain Wire	Unshielded		Overall Spiral		Overall Braid		Overall Foil		Overall Foil/Braid		Individual Foil		Individual Braid		
					Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.
17 AWG 1.00 mm² 1.40 1.15 (continued)																			
18	none	32x0.20			HMC0074	4.18													
20	none	32x0.20			HMC0075	4.18													
24	none	32x0.20			HMC0076	4.18													
25	none	32x0.20			HMC0077	4.18													
16 AWG 1.50 mm² 1.50 1.30																			
2	none	65x34			1307A	21.10													
	none	84x0.15			3999E	18.28													
	1	19x29			8471	5.5 18.30 21.8													
	1	19x29			8471LS**	18.31													
	1	19x29			8471NH	18.31													
	none	19x29			8677	4.5													
	1	19x29		x							8719	5.11 18.31							
	none		solid		9572	4.13													
	none		solid	x							9575	4.13							
	none	26x30			9716	21.10													
	1		solid										9860	18.15					
	1		solid										9860LS**	18.15					
	1		solid										9860NH	18.15					
	1	19x29			85102	18.31													
	none	25x0.23			BE46382	19.19													
	none	30x0.25			HMC0011	4.15													
	none	30x0.25			HMC0048	4.17													
	none	30x0.25			HMC0108	4.20													
	none	30x0.25									HMC0132	4.21							
	none	30x0.25								HMC0200	4.24								
	none	30x0.25			HMC0227	4.25													
	none	30x0.25								HMC0275	4.27								
	none	30x0.25			HMC0321	4.29													
	none	30x0.25								HMC0370	4.31								
	none	30x0.25								HMC0394	4.32								
	none	30x0.25								HMC0407	4.33								
	none	30x0.25								HMC0427	4.34								
	none	28x0.245											HMC0479	4.36					
	none	28x0.245								HMC0518	4.38								
	none	28x0.245			HMC0527	4.38													
	none	30x0.25			SHO 0007**	7.8													
	none	30x0.25			SHO 0034**	7.9													
none	7x0.52			SHO 0063	7.11														
none	7x0.52								SHO 0098	7.12									
3	none	30x0.25			HMC0012	4.15													
	none	30x0.25			HMC0049	4.17													
	none	30x0.25			HMC0109	4.20													
	none	30x0.25										HMC0133	4.21						
	none	30x0.25							HMC0201	4.24									
	none	30x0.25			HMC0228	4.25													
	none	30x0.25							HMC0276	4.27									
	none	30x0.25			HMC0322	4.29													
	none	30x0.25							HMC0371	4.31									
	none	30x0.25							HMC0395	4.32									
	none	30x0.25							HMC0408	4.33									
	none	30x0.25							HMC0428	4.34									
	none	28x0.245										HMC0480	4.36						
	none	28x0.245							HMC0519	4.38									
	none	28x0.245			HMC0528	4.38													
	none	30x0.25			SHO 0008**	7.8													
	none	30x0.25			SHO 0035**	7.9													

** Armored

Measures without a decimal point are in AWG sizes.

Multi-Conductor and Paired Cables

No. of Cond.	No. of Pairs	Stranded (mm/AWG#)	Solid (mm)	Drain Wire	Unshielded		Overall Spiral		Overall Braid		Overall Foil		Overall Foil/Braid		Individual Foil		Individual Braid	
					Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
16 AWG 1.50 mm² 1.50 1.30 (continued)																		
3	none	7x0.52			SHO0064	7.11												
	none	7x0.52							SHO0099	7.12								
4	none	65x34			1308A	21.10												
	none		solid	x							9579	4.13						
	none	30x0.25			HMC0013	4.15												
	none	30x0.25			HMC0050	4.17												
	none	30x0.25			HMC0110	4.20												
	none	30x0.25									HMC0134	4.21						
	none	30x0.25							HMC0202	4.24								
	none	30x0.25			HMC0229	4.25												
	none	30x0.25							HMC0277	4.27								
	none	32x0.25			HMC0323	4.29												
	none	30x0.25							HMC0372	4.31								
	none	30x0.25							HMC0396	4.32								
	none	30x0.25							HMC0409	4.33								
	none	30x0.25							HMC0429	4.34								
	none	28x0.245											HMC0481	4.36				
	none	28x0.245							HMC0520	4.38								
none	28x0.245			HMC0529	4.38													
none	30x0.25			SHO0009**	7.8													
none	30x0.25			SHO0036**	7.9													
none	7x0.52			SHO0065	7.11													
none	7x0.52							SHO0100	7.12									
5	none	30x0.25			HMC0014	4.15												
	none	30x0.25			HMC0051	4.17												
	none	30x0.25			HMC0111	4.20												
	none	30x0.25									HMC0135	4.21						
	none	30x0.25							HMC0203	4.24								
	none	30x0.25			HMC0230	4.25												
	none	30x0.25							HMC0278	4.27								
	none	30x0.25							HMC0410	4.33								
	none	32x0.25			HMC0324	4.29												
	none	30x0.25							HMC0430	4.34								
	none	28x0.245											HMC0482	4.36				
	none	28x0.245							HMC0521	4.38								
	none	30x0.25			SHO0010**	7.8												
none	30x0.25			SHO0037**	7.9													
none	7x0.52			SHO0066	7.11													
none	7x0.52							SHO0101	7.12									
6	none	30x0.25			HMC0078	4.18												
	none	30x0.25									HMC0136	4.21						
	none	30x0.25			HMC0231	4.25												
	none	30x0.25							HMC0279	4.27								
none	28x0.245											HMC0483	4.36					
7	none	30x0.25			HMC0015	4.15												
	none	30x0.25			HMC0079	4.18												
	none	30x0.25									HMC0137	4.21						
	none	30x0.25							HMC0204	4.24								
	none	30x0.25			HMC0232	4.25												
	none	30x0.25							HMC0280	4.27								
	none	32x0.25			HMC0325	4.29												
	none	30x0.25			SHO0011**	7.8												
	none	30x0.25			SHO0038**	7.9												
none	7x0.52			SHO0067	7.11													
none	7x0.52							SHO0102	7.12									
8	none	30x0.25			HMC0080	4.18												
	none	30x0.25									HMC0138	4.21						
	none	30x0.25			HMC0233	4.25												
	none	30x0.25							HMC0281	4.27								

** Armored

Measures without a decimal point are in AWG sizes.

Multi-Conductor and Paired Cables

No. of Cond.	No. of Pairs	Stranded (mm/AWG*)	Solid (mm)	Drain Wire	Unshielded		Overall Spiral		Overall Braid		Overall Foil		Overall Foil/Braid		Individual Foil		Individual Braid		
					Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.
16 AWG 1.50 mm² 1.50 1.30 (continued)																			
10	none	30x0.25			HMC0081	4.18													
	none	30x0.25									HMC0139	4.21							
	none	30x0.25			HMC0234	4.25													
	none	30x0.25							HMC0282	4.27									
	none	7x0.52			SHO0068	7.11													
	none	7x0.52							SHO0103	7.12									
12	none	30x0.25			HMC0082	4.18													
	none	30x0.25									HMC0140	4.21							
	none	30x0.25			HMC0235	4.25													
	none	30x0.25							HMC0283	4.27									
	none	30x0.25			SHO0012**	7.8													
	none	30x0.25			SHO0039**	7.9													
14	none	30x0.25																	
	none	30x0.25			HMC0083	4.18													
	none	30x0.25									HMC0141	4.21							
	none	30x0.25			HMC0236	4.25													
	none	30x0.25							HMC0284	4.27									
	none	7x0.52			SHO0069	7.11													
16	none	30x0.25																	
	none	30x0.25			HMC0084	4.18													
	none	30x0.25									HMC0142	4.21							
	none	30x0.25			HMC0237	4.25													
	none	30x0.25							HMC0285	4.27									
	none	7x0.52							SHO0106	7.12									
18	none	30x0.25			HMC0085	4.18													
	none	30x0.25									HMC0143	4.21							
	none	30x0.25			HMC0238	4.25													
	none	30x0.25							HMC0286	4.27									
19	none	7x0.52			SHO0070	7.11													
	none	7x0.52							SHO0107	7.12									
20	none	30x0.25			HMC0086	4.19													
	none	30x0.25									HMC0144	4.21							
	none	30x0.25			HMC0239	4.25													
	none	30x0.25							HMC0287	4.27									
24	none	30x0.25			HMC0087	4.19													
	none	30x0.25									HMC0145	4.21							
	none	30x0.25			HMC0240	4.25													
	none	30x0.25							HMC0288	4.27									
	none	7x0.52			SHO0071	7.11													
	none	7x0.52							SHO0108	7.12									
30	none	30x0.25			HMC0241	4.25													
	none	30x0.25							HMC0289	4.27									
14 AWG 2.50 mm² 1.85 1.63																			
2	none	105x34			1309A	21.11													
	1	41x30			8473	5.5													
	none	19x27			8675	4.5													
	1	19x27		x							8720	5.11							
	none		solid		9580	4.14													
	none		solid	x							9581	4.14							
	none	50x0.25			HMC0052	4.17													
	none	50x0.25			HMC0112	4.20													
	none	50x0.25									HMC0146	4.21							
	none	50x0.25							HMC0205	4.24									
	none	50x0.25			HMC0242	4.25													
	none	50x0.25							HMC0290	4.27									
	none	50x0.25			HMC0326	4.29													

* Individually shielded pairs or triads, plus overall foil, overall braid or overall foil and braid. • ** Armored
Measures without a decimal point are in AWG sizes.

Multi-Conductor and Paired Cables

No. of Cond.	No. of Pairs	Stranded (mm/AWG#)	Solid (mm)	Drain Wire	Unshielded		Overall Spiral		Overall Braid		Overall Foil		Overall Foil/Braid		Individual Foil		Individual Braid	
					Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
12 AWG 4.00 mm² 2.40 2.05																		
2	none	165x34			1311A	21.11												
	1	65x30			8477	5.5												
	none	19x25			8673	5.4												
	1	19x25		x							8718	5.11						
	none		solid		9582	4.14												
	none		solid	x							9583	4.14						
	none	56x0.30									HMC0153	4.22						
	none	56x0.30							HMC0210	4.24								
	none	56x0.30			HMC0251	4.26												
	none	56x0.30							HMC0299	4.28								
	none	56x0.30							HMC0376	4.31								
	none	56x0.30							HMC0400	4.32								
	none	56x0.30							HMC0415	4.33								
	none	56x0.30							HMC0435	4.34								
	none	56x0.30			SHO0018*	7.8												
	none	56x0.30			SHO0045*	7.9												
none	56x0.30			SHO0076	7.11													
none	56x0.30							SHO0112	7.12									
3	none	56x0.30			HMC0116	4.20												
	none	56x0.30									HMC0154	4.22						
	none	56x0.30							HMC0211	4.24								
	none	56x0.30			HMC0252	4.26												
	none	56x0.30							HMC0300	4.28								
	none	56x0.30							HMC0377	4.31								
	none	56x0.30							HMC0401	4.32								
	none	56x0.30							HMC0416	4.33								
	none	56x0.30							HMC0436	4.34								
	none	56x0.30			SHO0019**	7.8												
	none	56x0.30			SHO0046**	7.9												
	none	56x0.30			SHO0077	7.11												
	none	56x0.30							SHO0113	7.12								
	4	none	165x34			1312A	21.11											
none		56x0.30			HMC0117	4.20												
none		56x0.30									HMC0155	4.22						
none		56x0.30							HMC0212	4.24								
none		56x0.30			HMC0253	4.26												
none		56x0.30							HMC0301	4.28								
none		56x0.30							HMC0378	4.31								
none		56x0.30							HMC0402	4.32								
none		56x0.30			SHO0020**	7.8												
none		56x0.30							HMC0417	4.33								
none		56x0.30							HMC0437	4.34								
none		56x0.30			SHO0047**	7.9												
none		56x0.30			SHO0078	7.11												
none		56x0.30							SHO0114	7.12								
5	none	56x0.30									HMC0156	4.22						
	none	56x0.30							HMC0213	4.24								
	none	56x0.30			HMC0254	4.26												
	none	56x0.30							HMC0302	4.28								
	none	56x0.30							HMC0418	4.33								
	none	56x0.30			SHO0021**	7.8												
	none	56x0.30			SHO0048**	7.9												
	none	56x0.30							HMC0438	4.34								
6	none	56x0.30									HMC0157	4.22						
	none	56x0.30			HMC0255	4.26												
	none	56x0.30							HMC0303	4.28								
7	none	56x0.30									HMC0158	4.22						
	none	56x0.30							HMC0214	4.24								
	none	56x0.30			HMC0256	4.26												
none	56x0.30							HMC0304	4.28									

** Armored

Measures without a decimal point are in AWG sizes.

Multi-Conductor and Paired Cables

No. of Cond.	No. of Pairs	Stranded (mm/AWG#)	Solid (mm)	Drain Wire	Unshielded		Overall Spiral		Overall Braid		Overall Foil		Overall Foil/Braid		Individual Foil		Individual Braid	
					Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
11 AWG 4.20 mm² 2.60 2.30																		
3	none	56x0.30			BE46380	19.20												
10 AWG 6.00 mm² 2.95 2.60																		
2	none	259x34			1313A	21.11												
	none	19x23			8678	4.5												
	none	84x0.30								HMC0159	4.22							
	none	84x0.30			HMC0257	4.26												
	none	84x0.30							HMC0305	4.28								
	none	84x0.30							HMC0419	4.33								
	none	84x0.30							HMC0439	4.34								
	none	84x0.30			SHO0022**	7.8												
	none	84x0.30			SHO0049**	7.9												
3	none	84x0.30																
	none	84x0.30			HMC0118	4.20												
	none	84x0.30									HMC0160	4.22						
	none	84x0.30			HMC0258	4.26												
	none	84x0.30								HMC0306	4.28							
	none	84x0.30								HMC0420	4.33							
	none	84x0.30								HMC0440	4.34							
	none	84x0.30			SHO0023**	7.8												
	none	84x0.30			SHO0050**	7.9												
4	none	84x0.30																
	none	84x0.30			HMC0119	4.20												
	none	84x0.30									HMC0161	4.22						
	none	84x0.30			HMC0259	4.26												
	none	84x0.30								HMC0307	4.28							
	none	84x0.30								HMC0421	4.33							
	none	84x0.30								HMC0441	4.34							
	none	84x0.30			SHO0024**	7.8												
	none	84x0.30			SHO0051**	7.9												
5	none	84x0.30																
	none	84x0.30									HMC0162	4.22						
	none	84x0.30			HMC0260	4.26												
	none	84x0.30								HMC0308	4.28							
	none	84x0.30								HMC0422	4.33							
6	none	84x0.30																
	none	84x0.30									HMC0163	4.22						
	none	84x0.30			HMC0261	4.26												
7	none	84x0.30																
	none	84x0.30									HMC0164	4.22						
	none	84x0.30			HMC0262	4.26												
8 AWG 10.00 mm² 3.26																		
2	none	80x0.40																
	none	80x0.40									HMC0165	4.22						
	none	80x0.40			SHO0025**	7.8												
	none	80x0.40			SHO0052**	7.9												
	none	80x0.40			SHO0082	7.11												
3	none	80x0.40																
	none	80x0.40																
	none	80x0.40			SHO0026**	7.8												
	none	80x0.40			SHO0053**	7.9												
4	none	80x0.40																
	none	80x0.40																
	none	80x0.40			SHO0083	7.11												
	none	80x0.40																
4	none	80x0.40																
	none	80x0.40																
	none	80x0.40			SHO0027**	7.8												
	none	80x0.40			SHO0054**	7.9												
	none	80x0.40			SHO0084	7.11												
none	80x0.40									SHO0146	7.12							

** Armored
Measures without a decimal point are in AWG sizes.

Multi-Conductor and Paired Cables

No. of Cond.	No. of Pairs	Stranded (mm/AWG#)	Solid (mm)	Drain Wire	Unshielded		Overall Spiral		Overall Braid		Overall Foil		Overall Foil/Braid		Individual Foil		Individual Braid	
					Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
8 AWG 10.00 mm ² 3.26 (continued)																		
5	none	80x0.40									HMC0168	4.22						
6 AWG 16.00 mm ² 4.12																		
2	none	128x0.40									HMC0169	4.22						
3	none	128x0.40									HMC0170	4.22						
	none	126x0.40			SH00085	7.11												
4	none	128x0.40									HMC0171	4.22						
5	none	128x0.40									HMC0172	4.22						
4 AWG 25.00 mm ² 5.19																		
2	none	200x0.40									HMC0173	4.22						
3	none	200x0.40									HMC0174	4.22						
	none	196x0.40			SH00086	7.11												
4	none	200x0.40									HMC0175	4.22						
2 AWG 35.00 mm ² 6.54																		
2	none	280x0.40									HMC0176	4.22						
3	none	280x0.40									HMC0177	4.22						
	none	276x0.40			SH00087	7.11												
4	none	280x0.40									HMC0178	4.23						
1 AWG 50 mm ² 7.35																		
2	none	400x0.40									HMC0179	4.23						
3	none	400x0.40									HMC0180	4.23						
4	none	400x0.40									HMC0181	4.23						
2/0 AWG 70 mm ² 9.26																		
2	none	356x0.50									HMC0182	4.23						
3	none	356x0.50									HMC0183	4.23						
4	none	356x0.50									HMC0184	4.23						
3/0 AWG 95 mm ² 10.4																		
2	none	485x0.50									HMC0185	4.23						
3	none	485x0.50									HMC0186	4.23						
4	none	485x0.50									HMC0187	4.23						
4/0 AWG 120 mm ² 11.7																		
2	none	614x0.50									HMC0188	4.23						
3	none	614x0.50									HMC0189	4.23						

Measures without a decimal point are in AWG sizes.